

APPLICATION FOR INTERCONNECTION WITH THE AMERICAN ELECTRIC POWER DISTRIBUTION SYSTEM

Instructions

Interconnection Customer declares its intention to interconnect with the AEP Distribution System.

In order for the Distributed Resource to be considered for interconnection to AEP's Distribution System, Interconnection Customer must submit (1) a completed Interconnection Request (The Interconnection Request shall be deemed complete when the required information has been provided by Interconnection Customer), and (2) the appropriate non-refundable application fee.

If requested information is not applicable, indicate by using "N/A".

Additional information to evaluate an Interconnection Request may be required by AEP as the application process proceeds.

Return Completed Application to: Nathan Tronnier

Public Service Company of Oklahoma

212 E 6th St

Tulsa OK 74119-1212

Application Fee	
Indicate the amount of fee enclosed:	\$
Section 1 Interconnection Cus	stomer Information
Indicate Distributed Resource size:	Up to 30 kW 30 - 149 kW 150 - 749 kW 750 - 1,999 kW 2,000 kW and greater
Application is for: New D	Distributed Resource Facility ty addition to Existing Distributed Resource Facility
If capacity addition to existing facility	y, please describe:

Legal Name of Interconnection Customer (or, if an Individual, Individual's Name)

Name:		
Mailing Address:		
City:	State:	Zip:
Generating Facility Location (if dif	ferent from above):	
Requested Point of Interconnectio	n:	
If the requested point of interconn provide the electric service accour	nt number.	
Proposed In-Service Date:		
Telephone: Daytime:	Evening:	
E-Mail Address:	Fax:	
Alternative Contact Information	a (If different from Interconnection Cu	ustomer information above)
Contact Name:		
Title:		
Mailing Address:		
City:	State:	Zip:
Telephone: Daytime:	Evening:	
E-Mail Address:	Fax:	
Contact Name:		
Title:		
Mailing Address:		

City:	State:	Zip:
Telephone: Daytime:	Evening:	
E-Mail Address:	Fax: _	
Section 2 Generator Qual Energy Source:Diesel		Run-of-River)1
	Natural GasSol	
	fy)	
Type of Generator:SynchronousInduct Generator Nameplate Rating: Generator Nameplate KVA:	kW (Typical)	or with Inverter/Converter
Interconnection Customer or Cus		
kW (if none, so state) (T		
Maximum physical export capab	vility requested:	kW

List components of the Generating Facility that are Pre-certified

Equipment Type	Pre-certifying Entity
Section 3 Generator Technic	cal Information
A completed load flow data sheet must be s	supplied with the Interconnection Request.
Distributed Resource manufacturer,	model name, number, and version:
Nameplate output power rating in k	W: (Summer) (Winter)
Nameplate output power rating in K	
	(Summer)(Winter)
Individual generator power factor:	Rated power factor leading:
	Rated power factor lagging:

Wind Generators

Number of generators to be in	terconnected pursuant to this Interconnection Request:
Elevation:	Single Phase Three Phase
Inverter manufacturer, model	name, number, and version:
List of adjustable set points fo	or the protective equipment or software:
Distributed Resource	e Facility Characteristic Data (for rotating machines)
Synchronous and Induction G	enerators:
Direct Axis Transient Reactar	ice, X' _d : P.U.
Direct Axis Unsaturated Trans	sient Reactance, X'di:P.U.
Direct Axis Subtransient Reac	etance, X" _d : P.U.
Generator Saturation Constant	t (1.0):
Generation Saturation Constan	nt (1.2):
Negative Sequence Reactance	: P.U.
Zero Sequence Reactance:	P.U.
KVA Base:	
RPM Frequency:	

<u>Induction Generators:</u>
(*) Field Volts:
(*) Field Amperes:
(*) Motoring Power (kW):
(*) Neutral Grounding Resistor (If Applicable):
(*) I ₂ ² t or K (Heating Time Constant):
(*) Rotor Resistance:
(*) Stator Resistance:
(*) Stator Reactance:
(*) Rotor Reactance:
(*) Magnetizing Reactance:
(*) Short Circuit Reactance:
(*) Exciting Current:
(*) Temperature Rise:
(*) Frame Size:
(*) Design Letter:
(*) Reactive Power Required In Vars (No Load):
(*) Reactive Power Required In Vars (Full Load):
(*) Total Rotating Inertia, H:Per Unit on KVA Base

Note: Please consult AEP prior to submitting the Interconnection Request to determine if the information designated by (*) is required.

Excitation and Governor System Data (for Synchronous Generators only)

If determined to be required, provide appropriate IEEE model block diagram of excitation system, governor system, and power system stabilizer (PSS) in accordance with the regional reliability council criteria. A PSS may be determined to be required by applicable studies. A copy of the manufacturer's block diagram may not be substituted.

Section 4. Interconnecting Equipment Technical Data Information Will a transformer be used between the Distributed Resource and the Point of Interconnection? ____Yes ____No Transformer Data for Interconnection Customer-Owned Transformer (if applicable) Load loss watts values will be estimated at 5-10% of nameplate impedance if load loss watts values are not specified. The transformer is: _____single phase _____three phase Size: _____KVA Transformer impedance: _____% on _____KVA Base If Three Phase: Transformer Primary: _____Volts ___Delta ____Wye ____Wye Grounded Transformer Secondary: _____Volts ___Delta ____Wye ____Wye Grounded Transformer Fuse Data for Interconnection Customer-owned Fuse (if applicable) Note: Please attach a copy of fuse manufacturer's minimum melt and total clearing time-current curves

Type: _____ Size: _____ Speed: _____

Fuse Manufacturer:

Interconnecting Circuit Breaker (if applicable) Manufacturer: Type: _____ Load Rating (Amps): _____ Interrupting Rating (Amps): _____ Trip Speed (Cycles): _____ **Interconnection Protective Relays** (if applicable) Note: Please attach a copy of any proposed time-overcurrent coordination curves Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____ Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____ Manufacturer: _____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____ Manufacturer:____ Type: _____ Style/Catalog No.: _____ Proposed Setting: _____ Manufacturer: Type: _____ Style/Catalog No.: _____ Proposed Setting: _____ **Current Transformer Data** (if applicable) Note: Please attach a copy of manufacturer's excitation & ratio correction curves Manufacturer: Type: ______ Accuracy Class: _____ Proposed Ratio Connection: ___/5

Type: ______ Accuracy Class: _____ Proposed Ratio Connection: ___/5

Manufacturer:

Potential Transformer Data (if applicable)

Manufacturer:		
Type:	Accuracy Class:	Proposed Ratio Connection:/5
Manufacturer:		
Type:	Accuracy Class:	Proposed Ratio Connection:/5
Section 5. Ge	eneral Information	
	is a one-line diagram showing ent and potential circuits, and p	the configuration of all generating facility rotection and control schemes.
		ates the precise physical location of the nic map or other diagram or documentation).
Attached i and control scheme		and details the operation of the protection
-	n of protective interface equipman Customer's address):	ment on property (Include address if different
relay current circ	•	gs for all protection and control circuits, and alarm/monitoring circuits (if applicable).
Does Interconnection	ction Customer currently have	control of the site? Yes No

Section 6. Signature

I hereby certify that, to the best of my know	ledge, all the information provided in this
Interconnection Request is true and correct.	For Interconnection Customer:

Print Name:			
Signature:			
Date:	_		